

 **TRIANGLE TIRE**

Make your Move



Triangle® Ultra High Performance Tires Product Guide

Performance You Can Depend on... a Price You Can Live With

More and more sedans these days are coming with ultra-high performance (UHP) tires. But owners often experience “sticker shock” when it comes time to replace their tires.

Enter the Triangle UHP tire line-up . . . corner sticking performance, longer tread life and a smooth ride . . . all at a cost that leaves money in your wallet for other enhancements to your ride or such mundane matters as paying bills.





We've Got Your Back

Triangle passenger car tires are backed by industry-leading warranties, including:

- **60-Day Total Satisfaction Guarantee**
- **Pro-rated Tire Replacement**
- **4-Year Warranty for Workmanship/Material Defects**



TH201

SPORTEX

PAGES 4-5



TR968

PAGE 6-8



TR967

PAGES 9-10



TH201

SPORTEX



Outstanding Performance with Great Comfort

- Advanced large-block design with premium tread compound provides superior dry handling
- Optimized grooves design offers enhanced stopping in wet and dry conditions
- Asymmetric tread pattern with optimized pitch sequence helps reduce excessive road noise

PRODUCT CODE	SIZE	LOAD RANGE	SPEED RATING	TREAD DEPTH [32NDS]	SECTION WIDTH [IN]	OVERALL DIAMETER [IN]	MAX LOAD [IN]	MAX PRESSURE [PSI]	UTQG
10122010371	195 / 45R16	84	W	9.0	7.68	22.91	1102	49	
10122010821	205 / 40R16	83	W	9.0	8.35	22.44	1074	49	
10122010380	205 / 50R16	91	W	9.0	8.43	24.09	1356	49	
10122010290	205 / 55R16	94	V	9.0	8.43	24.88	1477	49	
10122010631	225 / 50R16	96	W	8.5	9.17	24.88	1565	49	
10122010550	205 / 40R17	84	W	9.0	8.35	23.46	1102	49	
10122010491	205 / 50R17	93	W	9.0	8.43	25.12	1433	49	
10122010421	215 / 40R17	87	W	9.0	8.58	23.78	1202	49	
10122010570	215 / 45R17	91	W	9.0	8.39	24.65	1356	49	
10122010310	215 / 50R17	95	W	9.0	8.90	25.51	1521	49	
10122010080	215 / 55R17	94	W	9.0	8.90	26.30	1477	51	
10122010580	225 / 45R17	94	W	8.5	8.86	24.96	1477	49	
10122010250	225 / 50R17	98	W	8.5	9.17	25.91	1653	49	
10122010450	225 / 55R17	101	W	8.5	9.17	26.77	1819	49	
10122010390	235 / 45R17	97	Y	8.5	9.29	25.35	1609	49	

TH201 SPORTEX | CONTINUED

PRODUCT CODE	SIZE	LOAD RANGE	SPEED RATING	TREAD DEPTH [32NDS]	SECTION WIDTH [IN]	OVERALL DIAMETER [IN]	MAX LOAD [IN]	MAX PRESSURE [PSI]	UTQG
10122010160	245 / 45R17	99	Y	8.5	9.57	25.67	1709	49	
10122010001	215 / 35R18	84	Y	9.0	8.58	23.90	1102	49	
10122010751	225 / 40R18	92	Y	8.5	9.06	25.08	1389	49	
10122010780	235 / 40R18	95	Y	8.5	9.49	25.39	1521	49	
10122010530	235 / 45R18	98	Y	8.5	9.29	26.34	1653	49	
10122010851	245/40R18	97	Y	8.5	9.76	25.71	1609	49	
10122010900	245 / 40R18	97	W	8.5	9.76	25.71	1609	49	
10122010511	245 / 45R18	100	W	8.5	9.57	26.65	1764	49	
10122010640	265 / 35R18	97	Y	8.5	10.67	25.31	1609	49	
10122010150	215 / 35R19	85	W	9.0	8.58	24.92	1135	49	
10122010121	215 / 35R19	85	Y	9.0	8.58	24.92	1135	49	
10122010220	235 / 35R19	91	W	8.5	9.49	25.47	1356	49	
10122010480	235 / 35R19	91	Y	8.5	9.49	25.47	1356	49	
10122010350	245 / 35R19	93	Y	8.5	9.76	25.79	1433	49	
10122010141	265 / 30R19	93	Y	8.0	10.67	25.31	1433	49	
10122010131	275 / 30R19	96	Y	8.0	10.94	25.55	1565	49	
10122010771	245 / 35R20	95	Y	8.5	9.76	26.77	1521	49	
10122010941	255 / 35R20	97	Y	8.0	10.24	27.01	1609	49	
10122010671	265 / 40R20	104	W	8.0	10.67	28.35	1984	49	
10122010111	255 / 30R22	95	Y	8.0	10.24	28.07	1521	49	
10122010931	265 / 35R22	102	Y	8.0	10.67	29.33	1874	49	
10122010670	295 / 35R24	110	W	8.0	11.85	32.13	2337	49	
10122010681	305 / 35R24	112	W	8.0	12.32	32.44	2469	49	



TR968



Premium Ultra High Performance Tire

- Optimized tread design offers excellent high speed stability and great handling
- Enhanced sidewall rim protection provides longer tread life
- Premium compound help reduce excessive road noise

PRODUCT CODE	SIZE	LOAD RANGE	SPEED RATING	TREAD DEPTH [32NDS]	SECTION WIDTH [IN]	OVERALL DIAMETER [IN]	MAX LOAD [IN]	MAX PRESSURE [PSI]	UTQG
10129680560	205 / 40R16	83	V	9.5	8.35	22.44	1074	51	360 AA
10129680020	205 / 50R16	91	V	9.5	8.43	24.09	1356	51	360 AA
10129680750	205 / 55R16	91	H	9.5	8.43	24.88	1356	51	360 AA
10129680470	205 / 55R16	91	V	9.5	8.43	24.88	1356	51	360 AA
10129680120	225 / 50R16	96	V	9.5	9.17	24.88	1565	51	360 AA
10129680330	205 / 40R17	84	V	9.5	8.35	23.46	1102	51	360 AA
10129680430	205 / 50R17	89	V	9.5	8.43	25.12	1279	51	360 AA
10129680700	205 / 50R17	93	W	9.5	8.43	25.12	1433	51	360 AA
10129680070	215 / 40R17	83	V	9.5	8.58	23.78	1074	51	360 AA
10129680260	215 / 45R17	91	V	9.5	8.39	24.65	1356	51	360 AA
10129680520	215 / 45R17	91	W	9.5	8.39	24.65	1356	51	360 AA
10129680930	215 / 50R17	95	V	9.5	8.9	25.51	1521	51	360 AA
10129680680	215 / 50R17	95	W	9.5	8.9	25.51	1521	51	360 AA
10129680300	215 / 55R17	98	V	9.5	8.9	26.3	1653	51	360 AA
10129680270	225 / 45R17	94	V	9.5	8.86	24.96	1477	51	360 AA

TR968 | CONTINUED

PRODUCT CODE	SIZE	LOAD RANGE	SPEED RATING	TREAD DEPTH [32NDS]	SECTION WIDTH [IN]	OVERALL DIAMETER [IN]	MAX LOAD [IN]	MAX PRESSURE [PSI]	UTQG
10129680450	225 / 45R17	94	W	9.5	8.86	24.96	1477	51	360 AA
10129680780	225 / 50R17	98	V	9.5	9.17	25.91	1653	51	360 AA
10129680060	225 / 55R17	101	V	9.5	9.17	26.77	1819	51	360 AA
10129680660	235 / 45R17	97	V	9.5	9.29	25.35	1609	51	360 AA
10129680730	235 / 45R17	97	W	9.5	9.29	25.35	1609	51	360 AA
10129680250	245 / 45R17	99	V	9.5	9.57	25.67	1709	51	360 AA
10129680000	245 / 45R17	99	V	9.5	9.57	25.67	1709	51	360 AA
10129680980	215 / 35R18	84	V	9.5	8.58	23.9	1102	51	360 AA
10129680940	225 / 40R18	88	V	9.5	9.06	25.08	1235	51	360 AA
10129680090	225 / 40R18	92	V	9.5	9.06	25.08	1389	51	360 AA
10129680670	235 / 40R18	95	V	9.5	9.49	25.39	1521	51	360 AA
10129680740	235 / 40R18	95	W	9.5	9.49	25.39	1521	51	360 AA
10129680720	235 / 45R18	98	V	9.5	9.29	26.34	1653	51	360 AA
10129680380	245 / 40R18	97	V	9.5	9.76	25.71	1609	51	360 AA
10129680760	245 / 45R18	96	V	9.5	9.57	26.65	1565	51	360 AA
10129680480	265 / 35R18	93	V	9.5	10.67	25.31	1433	51	360 AA
10129680570	215 / 35R19	85	V	9.5	8.58	24.92	1135	51	360 AA
10129680100	235 / 35R19	91	V	9.5	9.49	25.47	1356	51	360 AA
10129680340	235 / 35R19	91	W	9.5	9.49	25.47	1356	51	360 AA
10129680990	245 / 35R19	93	V	9.5	9.76	25.79	1433	51	360 AA
10129680920	245 / 35R19	93	W	9.5	9.76	25.79	1433	51	360 AA
10129680650	265 / 30R19	93	V	9.5	10.67	25.31	1433	51	360 AA

TR968 | CONTINUED

PRODUCT CODE	SIZE	LOAD RANGE	SPEED RATING	TREAD DEPTH [32NDS]	SECTION WIDTH [IN]	OVERALL DIAMETER [IN]	MAX LOAD [IN]	MAX PRESSURE [PSI]	UTQG
10129680460	275 / 30R19	92	W	9.5	10.94	25.55	1389	51	360 AA
10129680320	245 / 35R20	91	V	9.5	9.76	26.77	1356	51	360 AA
10129680890	245 / 35R20	95	V	9.5	9.76	26.77	1521	51	360 AA
10129680390	245 / 35R20	95	W	9.5	9.76	26.77	1521	51	360 AA
10129680290	255 / 35R20	97	V	9.5	10.24	27.01	1609	51	360 AA
10129680550	255 / 35R20	97	W	9.5	10.24	27.01	1609	51	360 AA
10129680490	255 / 35R20	93	V	9.5	10.24	27.01	1433	51	360 AA
10129680710	255 / 30R22	95	V	9.5	10.24	28.07	1521	51	360 AA
10129680170	255 / 30R22	95	W	9.5	10.24	28.07	1521	51	360 AA
10129680830	265 / 35R22	102	V	9.5	10.67	29.33	1874	51	360 AA
10129680200	295 / 35R24	110	V	9.5	11.85	32.13	2337	51	360 AA
10129680900	305 / 35R24	112	V	9.5	12.32	32.44	2469	51	360 AA



TR967



Great Value All Season Tire

- Advanced tread design with multi-sipes for enhanced traction
- 3D shoulder profile offers excellent braking performance in dry and wet conditions
- Optimized tread block provides excellent winter performance

PRODUCT CODE	SIZE	LOAD RANGE	SPEED RATING	TREAD DEPTH [32NDS]	SECTION WIDTH [IN]	OVERALL DIAMETER [IN]	MAX LOAD [IN]	MAX PRESSURE [PSI]	UTQG
10129670040	205 / 55R16	91	H	9.5	8.43	24.88	1356	51	360 AA
10129670050	205 / 55R16	91	V	9.5	8.43	24.88	1356	51	360 AA
10129670060	205 / 55R16	94	H	9.5	8.43	24.88	1477	49	360 AA
10129670070	205 / 55R16	94	V	9.5	8.43	24.88	1477	49	360 AA
10129670410	205 / 50R17	89	W	9.5	8.43	25.12	1279	51	360 AA
10129670240	215 / 40R17	87	W	9.5	8.58	23.78	1202	49	360 AA
10129670290	215 / 45R17	87	W	9.5	8.39	24.65	1202	51	360 AA
10129670270	215 / 45R17	91	W	9.5	8.39	24.65	1356	49	360 AA
10129670280	215 / 55R17	94	W	9.5	8.90	26.30	1477	51	360 AA
10129670400	225 / 45R17	91	W	9.5	8.86	24.96	1356	51	360 AA
10129670420	235 / 45R17	94	W	9.5	9.29	25.35	1477	51	360 AA
10129670660	235 / 45R17	97	W	9.5	9.29	25.35	1609	49	360 AA
10129670470	235 / 50R17	100	W	9.5	9.65	26.30	1764	49	360 AA
10129670460	235 / 50R17	96	W	9.5	9.65	26.30	1565	51	360 AA
10129670630	235 / 40R18	91	W	9.5	9.49	25.39	1356	51	360 AA

TR967 | CONTINUED

PRODUCT CODE	SIZE	LOAD RANGE	SPEED RATING	TREAD DEPTH [32NDS]	SECTION WIDTH [IN]	OVERALL DIAMETER [IN]	MAX LOAD [IN]	MAX PRESSURE [PSI]	UTQG
10129670640	235 / 40R18	95	W	9.5	9.49	25.39	1521	49	360 AA
10129670620	245 / 40R18	93	W	9.5	9.76	25.71	1433	51	360 AA
10129670820	245 / 40R18	97	W	9.5	9.76	25.71	1609	49	360 AA
10129670490	245 / 45R18	100	W	9.5	9.57	26.65	1764	49	360 AA
10129670980	235 / 35R19	87	W	9.5	9.49	25.47	1202	51	360 AA
10129670990	235 / 35R19	91	W	9.5	9.49	25.47	1356	49	360 AA
10129670070	245 / 40R19	94	W	9.5	9.76	26.73	1477	51	360 AA
10129670080	245 / 40R19	98	W	9.5	9.76	26.73	1653	49	360 AA
10129670800	245 / 35R20	95	W	9.5	9.76	26.77	1521	49	360 AA



60-Day Satisfaction Promise

Thank you for choosing Triangle tires! We're so confident you will enjoy your new Triangle replacement tires that we back all Triangle Passenger & Light Truck tires with a 60-day no hassle satisfaction promise. If you're not 100% satisfied, just bring the tires and original sales receipt back to the place of purchase within 60 days of your purchase, we will gladly exchange your tires in the form of store credit.

1. Satisfaction promise only applies to Triangle Passenger & Light Truck tires purchased from authorized Triangle Tire dealers.
2. Satisfaction promise does not apply to exchanged tires that were provided under this program.
3. The costs associated with mounting, balancing and any other applicable fees and taxes will be borne by the owner.
4. Tires damaged due to misuse or misapplication, road hazards, mechanical problems related to the vehicle, use in any racing-related activities or competitive events, are excluded from this satisfaction promise.

Passenger Tire Warranty

LIMITED WARRANTY

This Limited Warranty applies to the original purchaser of new passenger and light truck replacement tires sold by Triangle Tire USA (Triangle). An eligible tire that becomes unusable for any reason within the manufacturer's control will be replaced with an equivalent new tire on the basis set forth in this Limited Warranty.

WHO IS ELIGIBLE FOR WARRANTY COVERAGE

You are eligible for the benefits of this warranty if you meet all the following criteria:

- You are the original owner of new Triangle Radial Passenger or Light Truck tires.
- Your tires bear Department of Transportation (DOT) prescribed tire identification numbers.
- Tires have been used on the same vehicle in which they were initially installed.
- Tires have been operated within the USA and Canada.
- Your Triangle Passenger or Light Truck tires have been used in accordance to the vehicle manufacturer's specifications or Triangle's recommendations.

WHAT IS COVERED UNDER THIS WARRANTY AND FOR HOW LONG

1. Workmanship and Materials

- A. If any Triangle Passenger or Light Truck tire becomes unserviceable due to a condition within Triangle's control (see exclusions in the section entitled "WHAT THIS LIMITED WARRANTY DOES NOT COVER") during its initial warranty period, which is one year from the date of original retail purchase (purchase receipt required) or within the first 2/32" of the original usable tread, whichever occurs first, the tire will be replaced with the same or comparable Triangle tire at no charge to the customer.
- B. After the initial warranty period and up to five (5) years from date of purchase (purchase receipt required) or date of manufacture (DOT) will be used, if a Triangle tire becomes unserviceable due to a condition within Triangle's control (see exclusions in the section entitled "WHAT THIS LIMITED WARRANTY DOES NOT COVER") the owner must pay the cost for a comparable Triangle replacement tire on a pro-rated basis. The replacement cost will be calculated by multiplying the current Triangle dealer selling price at the adjustment location by the percentage of usable original remaining tread at the time of adjustment.
- C. Ride-related warranty claims must be submitted within the first 2/32" of wear to be considered (see exclusions in the section entitled "WHAT THIS LIMITED WARRANTY DOES NOT COVER"). If accepted, the tire will be replaced with the same or comparable Triangle tire at no charge to the customer.
- D. Under all circumstances above, the cost of mounting, balancing and any other service charges, including applicable taxes, are required to be paid by the customer.
- E. A tire has delivered its original usable tread life and is legally worn when the treadwear indicators (2/32" tread remaining) become visible, regardless of age or mileage.

2. Mileage Warranty for Select Replacement Tire Lines Only

This Limited Warranty warrants to the original purchaser that the tread life of select Triangle Ultra High-Performance Replacement Passenger Tires will have Mileage Warranty coverage for the described vehicle odometer miles from the point of original retail installation. Should the qualifying treadwear mileage conditions be met, the authorized Triangle Dealer will determine the replacement tire cost by multiplying the percentage of the mileage obtained by the current Triangle dealer purchase price or current advertised selling price at the adjustment location (whichever is lower).

Limited Mileage Warranty

TIRE LINE	MILEAGE WARRANTY
TH201	30,000 miles
TR967, TR968	40,000 miles

Treadwear Warranty Conditions

- A. You are the original tire purchaser and have a copy of the original invoice showing the installation mileage.
- B. You are the owner of the vehicle on which the tires were originally installed.
- C. You have had the tires rotated every 5,000 to 6,000 miles (8,000 – 10,000km).
- D. Tires must be worn evenly across the tread, down to the treadwear indicators (2/32") of wear at which time they are 100% worn out. There cannot be more than a 2/32" tread depth difference across the tire.
- E. Your servicing Triangle Dealer has completed the Tire Rotation Record.
- F. Passenger and P-Metric Light Truck tires are not covered for mileage when used on commercial vehicles or in commercial applications.
- G. For vehicles equipped with staggered size fitments (different tire sizes front and rear), the mileage warranty for the rear tires will be 50% of the stated mileage warranty for that line.
- H. Under all circumstances, the cost of mounting, balancing and any other service charges including applicable taxes are required to be paid by the customer.

HOW TO CALCULATE THE PRORATED AMOUNT

The replacement price will be calculated by multiplying the current Triangle Dealer selling price at the adjustment location by the percentage of usable original remaining tread at the time of adjustment. You pay for mounting, balancing and any other applicable taxes and fees for the comparable new Triangle replacement tire.

PRORATED REIMBURSEMENT EXAMPLE

If your warranty tire had an original 10/32" of usable tread depth (meaning it started with 12/32" and is considered legally worn out at 2/32") and is worn to 5/32" of usable remaining tread you have used 50% and therefore must pay 50% of the current Triangle dealer selling price at the adjustment location for a comparable Triangle tire. So, if the price of the comparable Triangle tire is \$100.00, the cost to you would be \$50.00 plus mounting, balancing and any other applicable taxes and fees.

WHAT THIS WARRANTY DOES NOT COVER

1. Tires purchased and normally used outside the United States and Canada.
2. Tires transferred from the vehicle on which they were originally installed.
3. Tires purchased as used.
4. Tires which are misapplied due to improper fitment, insufficient Speed Rating or Load Index, or undersized or oversized tires, use of an improper wheel, tire chain damage, misuse, tire spinning, negligence, tire alteration, or used for racing or competition purposes.
5. Damage from incorrect mounting or dismounting of the tire, incorrect application, water or other material trapped inside the tire during mounting or failure to balance the tires.
6. Ride complaints after the first 2/32" of tread wear or replacement of three (3) or more tires from the same vehicle.

7. Tire damage due to Road Hazards, including, without limitation: Puncture, cut, impact break, stone drilling, bruise, bulge, snag, etc.
8. Insufficient or improper maintenance, including, without limitation: failure to rotate tires as recommended, wheel misalignment, worn suspension components, improper tire mounting or demounting, tire/wheel assembly imbalance, or other vehicle conditions, defects, or characteristics.
9. Tire damage due to contamination or degradation by petroleum products or other chemicals, fire or other externally generated heat, or water or other material trapped inside the tire during mounting or inflation.
10. Accident, chemical corrosion, willful abuse, or vandalism.
11. Rapid treadwear on tires not specifically covered under the Limited Mileage portion of the Warranty.
12. Weather/ozone cracking after 4 years from date of tire manufacture.
13. Tires with sealant, balance, or other filler material that was not originally inserted by the tire manufacturer.
14. Tires that have been recapped, retreaded or regrooved.
15. Tires improperly repaired or with repairs not conforming to U.S. Tire Manufacturers Association standards, or with section repairs, or with a self-vulcanizing plug only or patch only.
16. Tires used in commercial service, or in commercial applications.
17. Tires inflated with anything other than air or nitrogen.
18. Tires affected by flat spotting caused by brake lockup, improper transport, or storage.
19. Premature or irregular wear (a measured tread difference of 2/32" (1.6mm) or more across the tread on the same tire) due to vehicle mechanical deficiencies or failure to rotate the tires at recommended intervals.
20. Any tires worn beyond the wear indicators (less than 2/32" remaining tread depth).
21. The cost of applicable federal, state, and local taxes.
22. Failure to follow any of the safety and maintenance recommendations or warnings contained in this publication.

Consumer Obligations

To keep this Limited Warranty valid, you must have your tires regularly inspected and rotated. Tires must be operated at the proper tire inflation pressures as specified by the vehicle manufacturer and within tire/vehicle load capacity and speed limitations. It is also your obligation to maintain proper wheel alignment and tire/wheel assembly balance.

To request an adjustment, tires need to be presented to an authorized Triangle Dealer. (Complete and sign the customer section of the Triangle Tire Limited Warranty adjustment form), provide copy of original purchase receipt and pay the appropriate replacement price, taxes, disposal fee, and service charges, if any. Tire inflation pressures must be set to the specifications established by the vehicle manufacturer. Check tire pressure with a gauge every month and before long trips or when carrying extra load. Determine the cause and extent of an inflation pressure loss as soon as possible, especially after an alert from the tire pressure monitoring system (TPMS).

FOR SERVICE ASSISTANCE OR INFORMATION

1. Please contact the nearest authorized Triangle OTR Tire Dealer first.
2. If additional assistance is required:
 - Visit our website at www.triangletireus.com.
 - E-mail Triangle Customer Service: customerservice@triangletireus.com
 - Feel free to call us at **615.610.5050** or if you prefer:
 - Write to: **Customer Service**, Triangle Tire USA, 117 Seaboard Lane, suite F100, Franklin, TN 37067



SAFETY WARNINGS

Serious injury or property damage may result from:

- TIRE FAILURE DUE TO UNDERINFLATION / OVERLOADING. Follow the owner's manual or tire placard in vehicle.
- TIRE FAILURE DUE TO EXCESSIVE HIGH SPEED. Follow the owner's manual or tire placard in vehicle.
- FAILURE TO MOUNT RADIAL TIRES ON APPROVED RIMS.
- EXPLOSION OF TIRE / RIM ASSEMBLY DUE TO IMPROPER MOUNTING. Only specially trained persons should mount tires.
- FAILURE TO DEFLATE SINGLE OR DUAL ASSEMBLIES COMPLETELY BEFORE DISMOUNTING.
- TIRE SPINNING. On slippery surfaces such as snow, mud, ice, etc., do not spin tires more than 35 mph (55 kph), as indicated on the speedometer. Personal injury and severe damage may result from excessive wheel spinning, including tire disintegration or axle failure.

Limitations

THIS LIMITED WARRANTY IS THE ONLY EXPRESS WARRANTY GIVEN BY TRIANGLE. TRIANGLE DOES NOT MAKE ANY OTHER EXPRESS WARRANTY, INCLUDING WITHOUT LIMITATION THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE (WHICH ARE EXPRESSLY DISCLAIMED). TRIANGLE DOES NOT AUTHORIZE ANY OTHER PERSON, INCLUDING AUTHORIZED TRIANGLE DEALERS OR VEHICLE DEALERS, TO CHANGE THIS WARRANTY OR CREATE ANY OTHER OBLIGATION IN CONNECTION WITH TRIANGLE TIRES. THE RIGHTS AND REMEDIES AVAILABLE ARE LIMITED TO THOSE RIGHTS AND REMEDIES STATED IN THIS LIMITED WARRANTY. ALL OTHER REMEDIES ARE EXCLUDED. IN NO EVENT SHALL TRIANGLE BE RESPONSIBLE FOR ANY CONSEQUENTIAL, INCIDENTAL OR SPECIAL DAMAGE(S) IN CONNECTION WITH A TRIANGLE TIRE, WHETHER FOR BREACH OF THIS LIMITED WARRANTY, OTHER CONTRACT BREACH, NEGLIGENCE OR OTHER TORT, OR ANY STRICT LIABILITY THEORY.

Some states do not allow the exclusion or limitation of incidental or consequential damages, so the above exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary from state to state.



American Made for US Drivers

On December 19, 2017, company senior executives and North Carolina Gov. Roy Cooper announced that Triangle will manufacture tires in the United States! The plant will be located in Edgecombe County in eastern North Carolina. At full capacity, it will produce 6 million passenger/light truck units, as well as 1 million commercial truck radials annually.

Triangle Tire USA is part of Triangle Tyre Co. Ltd., a global company that manufactures more than 25 million tires annually in 5,200 different SKUs (tread patterns and sizes).

Technologically-advanced global company . . . US office with an “ease of doing business” philosophy . . . The time is right to “Make Your Move” to Triangle.



TRIANGLE TIRE USA

117 SEABOARD LANE, STE F100

FRANKLIN, TN 37067

CUSTOMERSERVICE@TRIANGLETIREUS.COM

1.888.847.3745

WWW.TRIANGLETIREUS.COM